

**STAR**  
g e n e r a t o r

---




**AIR COOLED SILENT TYPE DIESEL GENERATOR**

**PRODUCT CATALOGUE**

**ADVANCED TECHNOLOGY  
HIGH PERFORMANCE  
RELIABLE QUALITY**



**ATS [ Automatic Transfer Switch ]**



**PERFORMANCE**

Frequency	Hz	50
Rated Voltage	V	230
Rated Power	kW / kVA	9 * 9
Max.Output	kW / kVA	10 * 10
Rated Current	A	39
Phase Number		Single Phase
Alternator	100% Copper	brush type, AVR
Starting System		Electric
Noise Level ( at 7m )	dB	85
Fuel Tank Capacity	L	15

**ENGINE**

Model		1105F
Engine Type	Single-Cylinder ,Vertical 4-Cycle, Air Cooled diesel	
Bore *Stroke	mm	105*88
Displacement Capacity	cc	761
Fuel	0 #0r - 10 # light diesel oil	
Lubrication Oil Volume	L	2
Combustion System	Direct Injection	



**DIMENSIONS**

Packing ( L*W*H)	mm	1120*640*870
Gross Weight	kg	242
20 FT		36
40 HQ		108



**STAR** provides 4.5~15KVA silent diesel generators, whose engines are enclosed in soundproof canopy and designed to be quieter.

Star Generator makes them ideal for a variety of environments where noise reduction is required or desirable.


With various models offering different power outputs, they cater to both small-scale and large-scale power needs, ensuring dependable performance and efficiency.

Technical data is a subject to change. Star assumes no responsibility for misprint. Pictures may differ from original product.

**ADVANCED TECHNOLOGY  
HIGH PERFORMANCE  
RELIABLE QUALITY**



**ATS [ Automatic Transfer Switch ]**



**PERFORMANCE**

Frequency	Hz	50
Rated Voltage	V	400
Rated Power	kW - kVA	9 * 9
Max.Output	kW - kVA	10 * 10
Rated Current	A	16
Phase Number		Three Phase
Alternator	100% Copper	brush type, AVR
Starting System		Electric
Noise Level ( at 7m )	dB	85
Fuel Tank Capacity	L	15

**ENGINE**

Model		1105F
Engine Type	Single-Cylinder ,Vertical 4-Cycle, Air Cooled diesel	
Bore *Stroke	mm	105*88
Displacement Capacity	cc	761
Fuel	0 #0r - 10 # light diesel oil	
Lubrication Oil Volume	L	2
Combustion System		Direct Injection



**DIMENSIONS**

Packing ( L*W*H)	mm	1120*640*870
Gross Weight	kg	242
20 FT		36
40 HQ		108



**STAR** provides 4.5~15KVA silent diesel generators, whose engines are enclosed in soundproof canopy and designed to be quieter.

Star Generator makes them ideal for a variety of environments where noise reduction is required or desirable.


With various models offering different power outputs, they cater to both small-scale and large-scale power needs, ensuring dependable performance and efficiency.

Technical data is a subject to change. Star assumes no responsibility for misprint. Pictures may differ from original product.

**ADVANCED TECHNOLOGY  
HIGH PERFORMANCE  
RELIABLE QUALITY**



**ATS [ Automatic Transfer Switch ]**



**PERFORMANCE**

Frequency	Hz	50
Rated Voltage	V	400
Rated Power	kW - kVA	15 / 15
Max.Output	kW - kVA	16 / 16
Rated Current	A	22
Phase Number		Three Phase
Alternator	100% Copper	brush type, AVR
Starting System		Electric
Noise Level ( at 7m )	dB	78
Fuel Tank Capacity	L	30

**ENGINE**

Model	2V98F	
Engine Type	Two-Cylinder ,Vertical 4-Cycle, Air Cooled diesel	
Bore *Stroke	mm	98*88
Displacement Capacity	cc	1,326
Fuel	( Summer ) -10# ( Winter ), -35# ( Chill Cold ) Diesel	
Lubrication Oil Volume	L	4
Combustion System	Direct Injection	



**DIMENSIONS**

Packing ( L*W*H)	mm	1200*690*895
Gross Weight	kg	297
20 FT		26
40 HQ		93



**STAR** provides 4.5~15KVA silent diesel generators, whose engines are enclosed in soundproof canopy and designed to be quieter.

Star Generator makes them ideal for a variety of environments where noise reduction is required or desirable.

With various models offering different power outputs, they cater to both small-scale and large-scale power needs, ensuring dependable performance and efficiency.

Technical data is a subject to change. Star assumes no responsibility for misprint. Pictures may differ from original product.